CONTENTS OF AQUATIC BOTANY, VOLUME 30

VOL. 30 NOS. 1-2	FEBRUARY 1988
Studies in wetland carices of the temperate zone — an introduc	tion
J.M. Bernard (Ithaca, NY, U.S.A.) and L. Soukupová (Tr	
Taxonomy of wetland carices	
I. Kukkonen and H. Toivonen (Helsinki, Finland)	
The genus Carex in the Late Glacial and Holocene of Czechoslo	
V. Jankovská and K. Rybníček (Brno, Czechoslovakia)	25
Ontogenesis in Carex species	
Y.E. Alexeev (Moscow, U.S.S.R.)	39
Short life-cycles in two wetland sedges	N. 22
L. Soukupová (Trěbon, Czechoslovakia)	49
A life history of Carex lasiocarpa Ehrh. ramets	W. W. G. L. \
B.L. Bedford, N.R. Rappaport and J.M. Bernard (Ithaca, N	
A demographic study of aerial shoots of Carex rostrata in relation	
A.B.C. Hultgren (Uppsala, Sweden)	
Comparative demographic study of Carex rostrata Stokes, C. di	andra Schrank and C.
acutiformis Ehrh. in fens of different nutrient status	N N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
J.T.A. Verhoeven, M.B. Schmitz and T.L. Pons (Utrecht, T	
Biomass trends in a Nebraska sedge meadow, Sierra National F	
R.D. Ratliff and S.E. Westfall (Fresno, CA, U.S.A.)	109
Production and nutrient dynamics in Carex wetlands	C1 \ 1 I V-*4
J.M. Bernard (Ithaca, NY, U.S.A.), D. Solander (Uppsala,	
(Trěbon, Czechoslovakia)	
Root ventilation in Carex gracilis Curt.: diffusion or mass flow? H. Končalová (Praha, Czechoslovakia), J. Pokorný and J. I	
Conservational status and use of sedge wetlands	
F. Klötzli (Zürich, Switzerland)	
VOL. 30 NO. 3	MARCH 1988
Comparative leaf structure and its functional significance in Ph. Makino and Phyllospadix japonicus Makino (Zosteraceae)	yllospadix iwatensis
J. Kuo (Nedlands, W.A., Australia), K. Aioi (Tokyo, Japan)	and H. Iizumi (Iwate,
Japan)	169
Nutrient uptake and release during growth and decomposition of	of eelgrass, Zostera marina
L., and its effects on the nutrient dynamics of Lake Grevelin	gen
G.C. Pellikaan (Middleburg, The Netherlands) and P.H. Nie	enhuis (Yerseke,
The Netherlands)	
Evapotranspiration rates of Eichhornia crassipes (Mart.) Solm	s, Salvinia molesta D.S.
Mitchell and Nymphaea lotus (L.) Willd. in a humid tropica	l climate
A. Sambasiva Rao (Calicut, India)	
Occurence of $Sphagnum$ moss in the sublittoral of several small	oligotrophic lakes in
Galloway, southwest Scotland	
P.J. Raven (London, Gt. Britain)	223
Response of an Alaskan wetland to nutrient enrichment	
W. Sanville (Duluth, MN, U.S.A.)	231

Technical Communication	
Cultivation of Pleurotus sajor-caju on aquatic weeds	0.44
S.K. Jain, G.S. Gujral, R. Bisaria and P. Vasudevan (New Delhi, India)	245
Short Communications	
The seed reserve of Halophila engelmannii (Hydrocharitaceae) in Redfish Bay, Texas	
C. McMillan (Austin, TX, U.S.A.)	253
Leaf production and export of the seagrass $Syring odium\ filiforme\ K\"utz.$ in Indian River	
Lagoon, Florida	
B. Fry and R.W. Virnstein (Fort Pierce, FL, U.S.A.)	261
Flowering in a Zostera marina bed off San Juan Island (Washington, U.S.A.) during	
winter M.C. Gambi (Naples, Italy)	965
M.C. Gamoi (Napies, Italy)	20
Book Review	
Algal Biomass	273
Announcement	277
VOL. 30 NO. 4 MAY	1988
Memorization of nuclear atmospheric tests by rhizomes and scales of the Mediterranean	
seagrass Posidonia oceanica (Linnaeus) Delile	
D. Calmet (La Seyne-sur-Mer, France), C.F. Boudouresque (Marseille, France) and	
A. Meinesz (Nice, France)	279
Comparison of a current eelgrass disease to the wasting disease in the 1930s	
F.T. Short (Durham, NH, U.S.A.), B.W. Ibelings and C. den Hartog	207
(Nijmegen, The Netherlands)	295
The distribution of seagrass species in Shark Bay, Western Australia, with notes on their ecology	
D.I. Walker, G.A. Kendrick and A.J. McComb (Nedlands, W.A., Australia)	305
Light-dependent variations in the composition of the internal atmosphere of <i>Phragmites</i>	505
australis (Cav.) Trin. ex Steudel	
H. Brix (Risskov, Denmark)	319
Structure and biomass of a Typha stand revealed by multidimensional analysis	
M. Djebrouni (Alger, Algeria) and A. Huon (Rennes, France)	331
The importance of belowground mineral element stores in cattails (Typha latifolia L.)	
C.S. Smith, M.S. Adams (Madison, WI, U.S.A.) and T.D. Gustafson (Huntingdon,	
PA, U.S.A.)	343
Actual and potential dark respiration rates and different electron transport pathways in	
freshwater aquatic plants	050
J. Peñuelas, J. Murillo and J. Azcón-Bieto (Barcelona, Spain)	353
Phytosynthetic response of Myriophyllum salsugineum A.E. Orchard to photon irradiance, temperature and external free CO ₂	
P.T. Orr, P.J.M. Same (Griffith, N.S.W., Australia), J. Pokorný (Trěbon,	
Czechoslovakia) and P. Denny (London, Gt. Britain)	363
Growth, nodulation and nitrate reductase activity in the aquatic legume Neptunia plena	505
(L.) Benth. at different external nitrate concentrations	
S.G. McInroy, M. Andrews and J.I. Sprent (Dundee, Gt. Britain)	379
Life cycle of Egeria densa Planch., an aquatic plant naturalized in Japan	
T. Haramoto, I. Ikusima (Chiba, Japan)	389
Announcement	405
Announcement	400
Author Index	407

